

Author index to volume 235

- Ankerhold, J., see Pechukas, P. 235 (1998) 5
- Bartussek, R., see Reimann, P. 235 (1998) 11
- Basilevsky, M.V., A.V. Soudackov and A.I. Voronin, Non-equilibrium interlevel transitions in condensed phase far away from the avoided crossing region 235 (1998) 281
- Berezhkovskii, A.M., V.Yu. Zitserman, D.-Y. Yang and S.H. Lin, Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant 235 (1998) 201
- Berezhkovskii, A.M., see Talkner, P. 235 (1998) 131
- Beržanskis, A., see Gaižauskas, E. 235 (1998) 123
- Blumen, A., see Sokolov, I.M. 235 (1998) 39
- Borromeo, M., see Cattuto, C. 235 (1998) 51
- Brey, J.J., see Drozdov, A.N. 235 (1998) 147
- Burshtein, A.I. and A.Yu. Sivachenko, Photochemical accumulation and recombination of ion pairs undergoing the singlet–triplet conversion 235 (1998) 257
- Caratti, G., R. Ferrando, R. Spadacini and G.E. Tommei, The Kramers problem in 2D-coupled periodic potentials 235 (1998) 157
- Cardin, F., see Moro, G.J. 235 (1998) 189
- Cattuto, C., M. Borromeo and F. Marchesoni, Thermal decay of a metastable elastic string 235 (1998) 51
- Devoret, M.H., see Turlot, E. 235 (1998) 47
- Drozdov, A.N. and J.J. Brey, On the role of the energy loss in turnover theories of activated rate processes 235 (1998) 147
- Egorov, S.A., see Everitt, K.F. 235 (1998) 115
- Esteve, D., see Turlot, E. 235 (1998) 47
- Everitt, K.F., S.A. Egorov and J.L. Skinner, Vibrational energy relaxation in liquid oxygen 235 (1998) 115
- Feigel'man, M.V. and A.I. Larkin, Quantum superconductor–metal transition in a 2D proximity-coupled array 235 (1998) 107
- Feller, K.-H., see Gaižauskas, E. 235 (1998) 123
- Ferrando, R., see Caratti, G. 235 (1998) 157
- Fox, R.F., see Thorwart, M. 235 (1998) 61
- Gaižauskas, E., A. Beržanskis and K.-H. Feller, Effects of non-Markovian relaxation in the femtosecond differential absorption spectra 235 (1998) 123
- Grabert, H., see Turlot, E. 235 (1998) 47
- Graf, P. and A. Nitzan, Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point 235 (1998) 297

- Hänggi, P., see Reimann, P. 235 (1998) 11
Hänggi, P., see Shao, J. 235 (1998) 81
- Jung, P., see Thorwart, M. 235 (1998) 61
- Kostur, M., see Kula, J. 235 (1998) 27
- Kula, J., M. Kostur and J. Łuczka, Brownian transport controlled by dichotomic and thermal fluctuations 235 (1998) 27
- Larkin, A.I., see Feigel'man, M.V. 235 (1998) 107
- Lin, S.H., see Berezhkovskii, A.M. 235 (1998) 201
- Linkwitz, S., see Turlot, E. 235 (1998) 47
- Łuczka, J., see Kula, J. 235 (1998) 27
- Marchesoni, F., see Cattuto, C. 235 (1998) 51
- Morelli, J. and D.J. Tannor, Phase space distribution function approach to the Kramers problem. III. Anharmonic potentials 235 (1998) 213
- Moro, G.J. and F. Cardin, Saddle point avoidance due to inhomogeneous friction 235 (1998) 189
- Nitzan, A., see Graf, P. 235 (1998) 297
- Nordio, P.L., see Polimeno, A. 235 (1998) 313
- Ovchinnikov, A.A. and K.A. Pronin, Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field 235 (1998) 93
- Pechukas, P. and J. Ankerhold, Mathematical aspects of the fluctuating barrier problem. Existence of equilibrium and relaxation solutions 235 (1998) 5
- Polimeno, A., G. Saielli and P.L. Nordio, A diffusive model for interpreting solvation dynamics in isotropic and ordered liquid phases 235 (1998) 313
- Pollak, E., see Talkner, P. 235 (1998) 131
- Pronin, K.A., see Ovchinnikov, A.A. 235 (1998) 93
- Reese, S.K. and S.C. Tucker, Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath 235 (1998) 171
- Reimann, P., R. Bartussek and P. Hänggi, Reaction rates when barriers fluctuate: A singular perturbation approach 235 (1998) 11
- Reimann, P., see Thorwart, M. 235 (1998) 61
- Rips, I., Nonadiabatic reactions in condensed phase in the absence of thermal equilibrium 235 (1998) 243
- Saielli, G., see Polimeno, A. 235 (1998) 313
- Schuss, Z. and A. Spivak, Where is the exit point? 235 (1998) 227
- Shao, J., C. Zerbe and P. Hänggi, Suppression of quantum coherence: Noise effect 235 (1998) 81
- Shushin, A.I. and M. Tachiya, Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit 235 (1998) 267
- Sivachenko, A.Yu., see Burshtein, A.I. 235 (1998) 257
- Skinner, J.L., see Everitt, K.F. 235 (1998) 115
- Sokolov, I.M. and A. Blumen, Thermodynamical and mechanical efficiency of a ratchet pump 235 (1998) 39
- Soudackov, A.V., see Basilevsky, M.V. 235 (1998) 281

- Spadacini, R., see Caratti, G. 235 (1998) 157
- Spivak, A., see Schuss, Z. 235 (1998) 227
- Tachiya, M., see Shushin, A.I. 235 (1998) 267
- Talkner, P., E. Pollak and A.M. Berezhkovskii, Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules 235 (1998) 131
- Tannor, D.J., see Morelli, J. 235 (1998) 213
- Thorwart, M., P. Reimann, P. Jung and R.F. Fox, Quantum hysteresis and resonant tunneling in bistable systems 235 (1998) 61
- Tommei, G.E., see Caratti, G. 235 (1998) 157
- Tucker, S.C., see Reese, S.K. 235 (1998) 171
- Turlot, E., S. Linkwitz, D. Esteve, C. Urbina, M.H. Devoret and H. Grabert, High frequency satellites in resonant activation 235 (1998) 47
- Urbina, C., see Turlot, E. 235 (1998) 47
- Voronin, A.I., see Basilevsky, M.V. 235 (1998) 281
- Yang, D.-Y., see Berezhkovskii, A.M. 235 (1998) 201
- Zerbe, C., see Shao, J. 235 (1998) 81
- Zitserman, V.Yu., see Berezhkovskii, A.M. 235 (1998) 201



Subject index to volume 235

Methods and constructs

Theoretical

Spin states and magnetic interactions

- Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81

Molecular response to external fields (incl. optical susceptibilities, dichroism, hyperpolarizabilities)

- Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81
Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field, A.A. Ovchinnikov and K.A. Pronin 235 (1998) 93

Reactive molecular dynamics including dissipative processes

- Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81
Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131
On the role of the energy loss in turnover theories of activated rate processes, A.N. Drozdov and J.J. Brey 235 (1998) 147
Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171
Saddle point avoidance due to inhomogeneous friction, G.J. Moro and F. Cardin 235 (1998) 189
Phase space distribution function approach to the Kramers problem. III. Anharmonic potentials, J. Morelli and D.J. Tannor 235 (1998) 213
Nonadiabatic reactions in condensed phase in the absence of thermal equilibrium, I. Rips 235 (1998) 243
Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit, A.I. Shushin and M. Tachiya 235 (1998) 267
Non-equilibrium interlevel transitions in condensed phase far away from the avoided crossing region, M.V. Basilevsky, A.V. Soudackov and A.I. Voronin 235 (1998) 281

Molecular dynamics of many particle systems and condensed phases

- Vibrational energy relaxation in liquid oxygen, K.F. Everitt, S.A. Egorov and J.L. Skinner 235 (1998) 115
Effects of non-Markovian relaxation in the femtosecond differential absorption spectra, E. Gaižauskas, A. Beržanskis and K.-H. Feller 235 (1998) 123
Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point, P. Graf and A. Nitzan 235 (1998) 297

Migration and interaction on grids and lattices

- Quantum superconductor-metal transition in a 2D proximity-coupled array, M.V. Feigel'man and A.I. Larkin 235 (1998) 107

Statistical computational methods (incl. Monte Carlo)

- Quantum hysteresis and resonant tunneling in bistable systems, M. Thorwart, P. Reimann, P. Jung and R.F. Fox 235 (1998) 61
- Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point, P. Graf and A. Nitzan 235 (1998) 297

Fluctuations and random processes

- Mathematical aspects of the fluctuating barrier problem. Existence of equilibrium and relaxation solutions, P. Pechukas and J. Ankerhold 235 (1998) 5
- Reaction rates when barriers fluctuate: A singular perturbation approach, P. Reimann, R. Bartussek and P. Hänggi 235 (1998) 11
- Brownian transport controlled by dichotomic and thermal fluctuations, J. Kula, M. Kostur and J. Luczka 235 (1998) 27
- Thermal decay of a metastable elastic string, C. Cattuto, M. Borromeo and F. Marchesoni 235 (1998) 51
- Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81
- Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131
- On the role of the energy loss in turnover theories of activated rate processes, A.N. Drozdov and J.J. Brey 235 (1998) 147
- The Kramers problem in 2D-coupled periodic potentials, G. Caratti, R. Ferrando, R. Spadacini and G.E. Tommei 235 (1998) 157
- Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171
- Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant, A.M. Berezhkovskii, V.Yu. Zitserman, D.-Y. Yang and S.H. Lin 235 (1998) 201
- Where is the exit point?, Z. Schuss and A. Spivak 235 (1998) 227

Non-equilibrium statistical mechanics

- Reaction rates when barriers fluctuate: A singular perturbation approach, P. Reimann, R. Bartussek and P. Hänggi 235 (1998) 11
- Thermodynamical and mechanical efficiency of a ratchet pump, I.M. Sokolov and A. Blumen 235 (1998) 39
- Thermal decay of a metastable elastic string, C. Cattuto, M. Borromeo and F. Marchesoni 235 (1998) 51
- Quantum hysteresis and resonant tunneling in bistable systems, M. Thorwart, P. Reimann, P. Jung and R.F. Fox 235 (1998) 61
- Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131
- On the role of the energy loss in turnover theories of activated rate processes, A.N. Drozdov and J.J. Brey 235 (1998) 147
- Saddle point avoidance due to inhomogeneous friction, G.J. Moro and F. Cardin 235 (1998) 189
- Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant, A.M. Berezhkovskii, V.Yu. Zitserman, D.-Y. Yang and S.H. Lin 235 (1998) 201
- Where is the exit point?, Z. Schuss and A. Spivak 235 (1998) 227
- Nonadiabatic reactions in condensed phase in the absence of thermal equilibrium, I. Rips 235 (1998) 243

- Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point, P. Graf and A. Nitzan 235 (1998) 297
- Theory of critical behavior*
- Thermal decay of a metastable elastic string, C. Cattuto, M. Borromeo and F. Marchesoni 235 (1998) 51
- Time and space correlation functions*
- A diffusive model for interpreting solvation dynamics in isotropic and ordered liquid phases, A. Polimeno, G. Saielli and P.L. Nordio 235 (1998) 313
- Experiment**
- Magnetic resonances*
- High frequency satellites in resonant activation, E. Turlot, S. Linkwitz, D. Esteve, C. Urbina, M.H. Devoret and H. Grabert 235 (1998) 47
- Ultrafast measurements*
- Photochemical accumulation and recombination of ion pairs undergoing the singlet-triplet conversion, A.I. Burshtein and A.Yu. Sivachenko 235 (1998) 257
- Nonlinear optics and spectroscopy*
- Effects of non-Markovian relaxation in the femtosecond differential absorption spectra, E. Gaižauskas, A. Beržanskis and K.-H. Feller 235 (1998) 123
- Objects**
- Bulk systems**
- Gases*
- Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131
- Liquids neat*
- Vibrational energy relaxation in liquid oxygen, K.F. Everitt, S.A. Egorov and J.L. Skinner 235 (1998) 115
- Liquid mixtures and solutions*
- Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171
- Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant, A.M. Berezhkovskii, V.Yu. Zitserman, D.-Y. Yang and S.H. Lin 235 (1998) 201
- Phase space distribution function approach to the Kramers problem. III. Anharmonic potentials, J. Morelli and D.J. Tannor 235 (1998) 213
- Photochemical accumulation and recombination of ion pairs undergoing the singlet-triplet conversion, A.I. Burshtein and A.Yu. Sivachenko 235 (1998) 257
- Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit, A.I. Shushin and M. Tachiya 235 (1998) 267

- Non-equilibrium interlevel transitions in condensed phase far away from the avoided crossing region, M.V. Basilevsky, A.V. Soudackov and A.I. Voronin 235 (1998) 281
- Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point, P. Graf and A. Nitzan 235 (1998) 297
- Crystals*
- Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field, A.A. Ovchinnikov and K.A. Pronin 235 (1998) 93
- neat*
- Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field, A.A. Ovchinnikov and K.A. Pronin 235 (1998) 93
- Complex fluids*
- A diffusive model for interpreting solvation dynamics in isotropic and ordered liquid phases, A. Polimeno, G. Saielli and P.L. Nordio 235 (1998) 313
- Semiconductors*
- High frequency satellites in resonant activation, E. Turlot, S. Linkwitz, D. Esteve, C. Urbina, M.H. Devoret and H. Grabert 235 (1998) 47
- Thin films*
- Quantum superconductor-metal transition in a 2D proximity-coupled array, M.V. Feigel'man and A.I. Larkin 235 (1998) 107
- Dielectrics*
- A diffusive model for interpreting solvation dynamics in isotropic and ordered liquid phases, A. Polimeno, G. Saielli and P.L. Nordio 235 (1998) 313
- Biological systems*
- Mathematical aspects of the fluctuating barrier problem. Existence of equilibrium and relaxation solutions, P. Pechukas and J. Ankerhold 235 (1998) 5
- Microscopic and mesoscopic systems**
- Single atoms, molecules and assemblies (incl. biological)*
- Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81
- The Kramers problem in 2D-coupled periodic potentials, G. Caratti, R. Ferrando, R. Spadacini and G.E. Tommei 235 (1998) 157
- Molecules (neutral and ionic)*
- On the role of the energy loss in turnover theories of activated rate processes, A.N. Drozdov and J.J. Brey 235 (1998) 147
- Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit, A.I. Shushin and M. Tachiya 235 (1998) 267
- diatomic*
- Vibrational energy relaxation in liquid oxygen, K.F. Everitt, S.A. Egorov and J.L. Skinner 235 (1998) 115

Molecular aggregates

- Quantum hysteresis and resonant tunneling in bistable systems, M. Thorwart, P. Reimann, P. Jung and R.F. Fox 235 (1998) 61

- Effects of non-Markovian relaxation in the femtosecond differential absorption spectra, E. Gaižauskas, A. Beržanskis and K.-H. Feller 235 (1998) 123

Biological assemblies, cells and organelles

- Thermodynamical and mechanical efficiency of a ratchet pump, I.M. Sokolov and A. Blumen 235 (1998) 39

Proteins

- Reaction rates when barriers fluctuate: A singular perturbation approach, P. Reimann, R. Bartussek and P. Hänggi 235 (1998) 11

Phenomena*Electronic structure and states*

- Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field, A.A. Ovchinnikov and K.A. Pronin 235 (1998) 93

Electric and magnetic properties

- Field-induced localization and nonlinear response of a one-band conductor to a periodic electric field, A.A. Ovchinnikov and K.A. Pronin 235 (1998) 93

Energy transfer processes

- Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171

Molecular photophysical processes

- Vibrational energy relaxation in liquid oxygen, K.F. Everitt, S.A. Egorov and J.L. Skinner 235 (1998) 115

- Effects of non-Markovian relaxation in the femtosecond differential absorption spectra, E. Gaižauskas, A. Beržanskis and K.-H. Feller 235 (1998) 123

Photochemistry

- Photochemical accumulation and recombination of ion pairs undergoing the singlet-triplet conversion, A.I. Burshtein and A.Yu. Sivachenko 235 (1998) 257

Intramolecular dynamics

- Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131

-vibrational energy redistribution (incl. vibrational dissociation)

- Nonadiabatic reactions in condensed phase in the absence of thermal equilibrium, I. Rips 235 (1998) 243

Nonlinear responses (incl. optical)

- Quantum hysteresis and resonant tunneling in bistable systems, M. Thorwart, P. Reimann, P. Jung and R.F. Fox 235 (1998) 61

Reactions (incl. dissociation)

- Thermal decay of a metastable elastic string, C. Cattuto, M. Borromeo and F. Marchesoni 235 (1998) 51
- Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171
- Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit, A.I. Shushin and M. Tachiya 235 (1998) 267

-collisional

- Binary collision theory for thermal and nonisothermal relaxation and reaction of polyatomic molecules, P. Talkner, E. Pollak and A.M. Berezhkovskii 235 (1998) 131

-condensed phase

- Curvilinear-path based theory of the energy transfer limited rate of a two-dimensional solute in a dissipative bath, S.K. Reese and S.C. Tucker 235 (1998) 171
- Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant, A.M. Berezhkovskii, V.Yu. Zitserman, D.-Y. Yang and S.H. Lin 235 (1998) 201
- Phase space distribution function approach to the Kramers problem. III. Anharmonic potentials, J. Morelli and D.J. Tannor 235 (1998) 213
- Nonadiabatic reactions in condensed phase in the absence of thermal equilibrium, I. Rips 235 (1998) 243
- Non-equilibrium interlevel transitions in condensed phase far away from the avoided crossing region, M.V. Basilevsky, A.V. Soudackov and A.I. Voronin 235 (1998) 281

Tunneling

- High frequency satellites in resonant activation, E. Turlot, S. Linkwitz, D. Esteve, C. Urbina, M.H. Devoret and H. Grabert 235 (1998) 47
- Quantum hysteresis and resonant tunneling in bistable systems, M. Thorwart, P. Reimann, P. Jung and R.F. Fox 235 (1998) 61
- Suppression of quantum coherence: Noise effect, J. Shao, C. Zerbe and P. Hänggi 235 (1998) 81
- Non-equilibrium interlevel transitions in condensed phase far away from the avoided crossing region, M.V. Basilevsky, A.V. Soudackov and A.I. Voronin 235 (1998) 281

Electron transfer

- Photochemical accumulation and recombination of ion pairs undergoing the singlet-triplet conversion, A.I. Burshtein and A.Yu. Sivachenko 235 (1998) 257
- Non-adiabatic effects in condensed phase activated rate processes in the near-adiabatic limit, A.I. Shushin and M. Tachiya 235 (1998) 267

Molecular motion (incl. diffusive)

- Thermodynamical and mechanical efficiency of a ratchet pump, I.M. Sokolov and A. Blumen 235 (1998) 39
- Saddle point avoidance due to inhomogeneous friction, G.J. Moro and F. Cardin 235 (1998) 189
- A diffusive model for interpreting solvation dynamics in isotropic and ordered liquid phases, A. Polimeno, G. Saielli and P.L. Nordio 235 (1998) 313
- Numerical simulations of solvation in simple polar fluids: dependence on the thermodynamic state below and above the critical point, P. Graf and A. Nitzan 235 (1998) 297

Fluctuations and noise

- Reaction rates when barriers fluctuate: A singular perturbation approach, P. Reimann, R. Bartussek and P. Hänggi 235 (1998) 11

- Brownian transport controlled by dichotomic and thermal fluctuations, J. Kula, M. Kostur and J. Łuczka 235 (1998) 27
- On the role of the energy loss in turnover theories of activated rate processes, A.N. Drozdov and J.J. Brey 235 (1998) 147
- The Kramers problem in 2D-coupled periodic potentials, G. Caratti, R. Ferrando, R. Spadacini and G.E. Tommei 235 (1998) 157
- Reversible chemical reactions in slowly relaxing environments: Kramers' turnover of the rate constant, A.M. Berezhkovskii, V.Yu. Zitserman, D.-Y. Yang and S.H. Lin 235 (1998) 201
- Where is the exit point?, Z. Schuss and A. Spivak 235 (1998) 227
- Thermodynamic and transport properties*
- Thermodynamical and mechanical efficiency of a ratchet pump, I.M. Sokolov and A. Blumen 235 (1998) 39